Work Ord				*890	166*						Page 1
Item ID: Revision ID:	D412-742-0	)43		Accept	*N900	<b>040</b>	100	)* s	etup Stai	1.0	S1*
Item Name:	Replacement	Float Skidtube							Sto	° *N;	S2*
Start Date: Required Date: Reference:	9/10/12 : 9/10/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item II Customer:	D:					
Approvals:	Process Pl QC:	lan: MLJ	Date: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	SPC (Y/N):		ite:		R	tun Star Sto	" <b>  \</b>	R1* R2*
Sequence ID/ Work Center I	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Re	evision Nbr									
D3391	l										
100				0.00				1	10		
*100* DC Document Control			742-043 is a W/O on it's	,	CHG005			NAC			

NCR:	Yes	/	No

												DQA:	Date:	
NCR:	Yes	/ No					WORK ORDER NON-C	100	NFOR	MANCE / UPDA		OA Classada	D-1-	
												QA Closed:	Date:	
Vork Ord	er:						DISPOSITION				AGAINST DE	PARTMENT/	PROCESS	
							Rework	1		Skid-tube	Crosstube		Water Jet	Engineering
Part	No.						Scrap			Machining	Small Fab	Prod	d. Eng. Coor.	Quality
					_	ı	Use-as-is	]	Thern	noforming	Finishing	Rec/Stor	e/Packaging	Other
NCR	No.						Work Order Update			Large Fab	Composite		Supplier	
D 1		ı	i	I		ᆜ						I		<u> </u>
Root Cause		Date	Step	0+1/	Desc		tion of work order update r Non-conformance	1	Initial	Action		Sign &	M= -:#:4:	
oc/Data	Г	Date	step	Qty			i Non-comormance	Cn	nief Eng	Descript	tion	Date	Verification	QC Inspector
juip/Tooling	$\vdash$							İ						
perator	$\vdash$													
Iaterial	$\vdash$													
etup	Г													
ther														
rocess														
upplier														
raining														
napproved								<u> </u>						
				<del></del>				AUL	T CATE	GORY				
Landi		ì			r	_	General	_	1			1	<del></del>	7
	<u> </u>	Bending			_ <i></i>	_	Bend	<u> </u>	Grain			Ovalized	-	Pressure/Forced
	<u> </u>	Centre No	ot Concer	itric to	O/S	_	BOM/Route	<u> </u>	Hardwa			Over/Under	<del> </del>	Temperature/Cure
	-	Cracks							t	on Incomplete		Part Incorred	<del></del>	Weld
•	$\vdash$	Cuffs	rimpea,		-	-	Burrs	<u> </u>	1	ions Incomplete/Und	clear	Part Lost/Mi	ssing	Wrong Stock Pulled
	$\vdash$	Heat Trea	+		-		Contamination Countersink		Mainte Mislabe		-	Part Moved		
							Cut Too Short	-	Misread			Positioned W Power Loss/:	_	Other
	<del> </del>	Ripples in	•	TUDE	F	_	Drill Holes		Offset			rower Loss/:	ouige	Other
	Torque Waves in Extrusion Drawing							$\vdash$	ł	Calibration				
		Turning Se			-	_	Finish	-	1	equence				
			-			- 1				•				

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

3-Remove "T" pins once sikaflex is dry.

A/RLPS Procyon AX 11459/

MEK degreaser.

4-Coat all exposed hardware with LPS Procyon. Remove any excess off with

Page 2

Insp.

Stamp

											DQA:	Date	:
NCR:	Yes	/ No				<b>WORK ORDER NON-</b>	100	NFORM	MANCE / UP	DATE		······································	
									-		QA Closed:	Date	:
Work Ord	or.		•			DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part   NCR	No.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	-4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update		Initial	Act	tion	Sign &		
Cause		Date	Step	Qty	(	or Non-conformance	Ch	nief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved								T.CATE	CONV				
						• • • • • • • • • • • • • • • • • • • •	AUI	LT CATE	GORY				
Landi	Bending Centre Not Concentric to O/S Cracks Crushed/Crimped. Cuffs Heat Treat Inspection Strip in Tube					General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short		Instruct Mainte Mislabe Misreac	on Incomplete ions Incomplete/ nance led	Unclear	Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned V	ect issing Wrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
4	1	Ripples in	n Bend			Drill Holes		Offset					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Ord August-21-12				*89	1066	<b>3</b> *							Page 3	
Item ID:	D412-742-	043		Accept	*	19000	740	100	)* 8	etup S	Start	*N!	S1*	
Revision ID:					_				-		Stop	4.6.1	<b>~</b>	
Item Name:	Replacemen	t Float Skidtube								,	эгор	*N:	S2*	
Start Date:	9/10/12	Start Qty: 1.00	*1*			Cust Item ID	<b>)</b> :							
Required Date	e: 9/10/12	Req'd Qty: 1.00	*1*			Customer:								
Reference:			•								~			
Approvals:	Process P	'lan:	Date:	Tooling:		Dat	te:				Start	*N	R1*	
	QC:		Date:	SPC (Y/N):		Dat	te:				Stop	*N	R2*	
Sequence ID/ Work Center	ID	Operation Description		Set Up/ Run Hour	s	Tool ID	Tool #	Plan Code	Accept Qty	Rejec Qty		Reject Number	Insp. Stamp	
120		QC5- Inspect part compl	eteness to step on W/O	0.00	DAO				_					
*120* QC		Memo		IFT SADDE->	DAS				0	12:11	1-15			
Quality Control					./. <b>-</b>	<b>^</b> ^								
				-> Con Assem	wolete; bly	12 12	luks							
130				0.00		· •								
*130* Packaging		Packaging		0.00	POP	99077	0/	50	blu	23				
Packaging		Memo Identify and Location:	pack for shipping as per	0.00	• , ,		<b>2</b> 9.	80 J					,	

0.00

0.00

PPP Rev:\_

Memo

QC21- Final Inspection - Work Order Release

140

\*14**0**\*

Quality Control

12/11/26 A)

											DQA:	Date	::
NCR:	Yes	/ No				WORK ORDER NON-C	100	NFORM	AANCE / UP	DATE	04 Classed	Data	
											QA Closed:	Date	
Work Ord	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part I	No. <sub>.</sub>					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	Pro	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root	I				Descri	ption of work order update		Initial	Act	tion	Sign &		
Cause		Date	Step	Qty	(	or Non-conformance	Ch	nief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
						F	ΑUL	T CATE	GORY		. <u> </u>		
Landi	ng Gear  Bending Centre Not Concentric to O/S Cracks					General Bend: BOM/Route Broken/Damaged		Grain Hardwa Inspecti	re on Incomplete		Ovalized Over/Under Part Incorre	<b>}</b>	Pressure/Forced Temperature/Cure Weld
	Crushed/Crimped.					Burrs Contamination		Instruct Mainte	ions Incomplete/I	Unclear	Part Lost/M Part Moved	_	Wrong Stock Pulled
	Heat Treat Inspection Strip in Tube					Countersink Cut Too Short		Mislabe Misread			Positioned \		Other
	Ripples in Bend					Drill Holes		Offset			J. 3.1.5. 2555/		1

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-21-12 12:56:58 PM

Work Order ID:

89066

Parent Item:

D412-742-043

Parent Item Name:

Replacement Float Skidtube

**Start Date: 9/10/12** 

Required Date: 9/10/12

Start Qty: 1.00

Required Qty: 1.00

**Comments:** 

IPP Rev A 05.10.13 New Issue

KJ/JLM IPP Rev 06.02.13 ECN 773 dwg @, rev.D EC

As per Rev F

JLM

IPP Rev:C 07-05-28 IPP Rev:D 07-12-04

ECN 1072 DD verified by:JLM

IPP Rev:E 08-09-08 ecn 08-510 DD verified by:EC

IPP Rev:F 11.11.01 as per DSI9517

4

	REV.B DD verifie		J (0111										
Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch  Manufactured	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3391-021 Fwd Pube Assembly	may of o	Manufactured	No			110	Each	0.0000	138	738 <sup>1</sup> 8	(11)	M c	ulul w
Mid Tube Assembly		Manufactured	No			110	Each	0.0000	1390	14FC	(Ix)	H u	14/14
				Location		Loc Oty	<u>Lo</u>	oc Code					
				FP		2							
				GA		-2							
D3391-025 Aft Tube Assembly		Manufactured	No		٠	110	Each	0.0000	1 30	1006	3 (IV)	H	ulilki
AN3C4A BOLT		Purchased	No			110	Each	1,278.0000	24	ed 24	ulu	<sub>  (4</sub> _	
				Location		Loc Qty	<u>L</u> c	oc Code					
				ST350		1278	1 A A	22814		121			
					187	31	•	, .					
					0521	28							
					0769	38							
					205	67							
					1556	8 1102							
				122	2151	1102							

122416

											DQA:	Date	<b>:</b>
NCR:	Yes	/ No				<b>WORK ORDER NON-C</b>	O	NFORM	<b>JANCE / UPI</b>	DATE	,		
											QA Closed:	Date	:
Work Orde	er:					DISPOSITION				AGAINST DE	PARTMENT	PROCESS	· · · ·
Part I	- . No.					Rework Scrap Use-as-is Work Order Update		f Therm	Skid-tube  Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update	1	Initial	Act	ion	Sign &		
Cause		Date	Step	Qty	C	or Non-conformance	Ch	nief Eng	Descr	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved					· .								
						FA	AUL	T CATE	SORY				
Landi						General		•		<del></del>	,		
	Bending Centre Not Concentric to O/S Cracks					Bend BOM/Route Broken/Damaged	_	Grain Hardwa	re on Incomplete		Ovalized Over/Under Part Incorre	<u> </u>	Pressure/Forced Temperature/Cure Weld
	$\vdash$	Crushed/0	Crimped.			Burrs		1 '	ions Incomplete/l	Jnclear —	Part Lost/Mi		Wrong Stock Pulled
	-	Cuffs	•			Contamination	一	Mainte			Part Moved	· _	
	Heat Treat					Countersink		Mislabe			Positioned V	Vrong	
	П	Inspection	Strip in	Tube		Cut Too Short	Г	Misread			Power Loss/		Other
	Ripples in Bend					Drill Holes		Offset		<b>L</b>	<b>.</b>	- <b>L.</b>	

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-21-12 12:56:58 PM

Work Order ID:	89066						
Parent Item:	D412-742-043				Start D	ate: 9/10/12	Required Date: 9/10/12
Parent Item Name:	Replacement Float Skidtube				Start (	Qty: 1.00	Required Qty: 1.00
AN3C6A BOLT	Purchas	sed No	110	Each	1,187.0000	10	10 Mulid
		<b>Location</b>	Loc Qty	<u>L</u>	oc Code		
		FP001	1				
		111982	1				
		ST351	1186				
		111982	2				
		116419	23				
		116549	2				
		116704	12				
		117619	10				
		117688	1				
		117872	5				
		118422	13				
		119449	21				
		120423	3				<del></del>
		120693	88				
		121682	6			-	
		122416	500			<u> </u>	<u> </u>
		122599	500			<u> </u>	
<b>N3C7A</b> OLT	Purcha	sed No	110	Each	184.0000	4 JU	4 4/1/14
		<b>Location</b>	Loc Qty	<u>I</u>	oc Code		
		ST351	184				, 
		113149	14				
		116169					
		117313					
		117619	12				
		117688					
		119749					<del></del>
		120731					
		121185					
		121541					<u></u>
		122141	100			<u> </u>	<del></del>

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-C	COI	VFORM	MANCE / UP	DATE			
											QA Closed:	Date:	
Work Ord	er:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part I	No.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet od. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update		nitial	Ac	tion	Sign &		
Cause		Date	Step	Qty	(	or Non-conformance	Ch	ief Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data										•			
Equip/Tooling													
Operator	$\square$												
Material													
Setup													
Other													
Process													
Supplier	П												
Training	П												
Unapproved	П												
						F	AUL	T CATE	GORY		•	· · · · · · · · · · · · · · · · · · ·	- <b>1</b>
Landi	ng G	ear				General							
		Bending				Bend		Grain			Ovalized		Pressure/Forced
		Centre No	t Concer	ntric to	o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
!		Cracks				Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
	П	Crushed/0	Crimped.			Burrs		1 '	ions Incomplete/	'Unclear	Part Lost/M	issing	Wrong Stock Pulled
	-	Cuffs				Contamination		Mainte	•		Part Moved		
	П	Heat Trea	t		<u> </u>	Countersink		Mislabe			Positioned \		
	П	Inspection	Strip in	Tube	<u> </u>	Cut Too Short		Misread		<u> </u>	Power Loss		Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

August-21-12 12:56:59 PM

Work Order ID:	89066								
Parent Item:	D412-742-043						Start Da	te: 9/10/12	Required Date: 9/10/12
Parent Item Name:	Replacement Float S	Skidtube					Start Q	<b>ty:</b> 1.00	Required Qty: 1.00
AN960C10L washer	NAS1149C0332R	Purchased	No		110	Each	21.0000	38 11 3	8 ulul 10
				Location	Loc Qty		Loc Code		
				ST 107534	21 21		XN 173355	<u>×38</u>	
04095-041 Vearplate Assembly		Manufactured	No		110	Each	23.0000	1 JU	1 12/10/124
				Location	Loc Oty		Loc Code		
				FP001 83809 85616	17 7 10	12	85844		
				FP002 85939	6				
D4095-043 Wearplate Assembly	+	Manufactured	No		110	Each	16.0000	1 1	1 12/11/14
	1			<b>Location</b>	Loc Qty		Loc Code		
				FP001 83479 85615	16 7 9	(	385843	<u></u>	
D4095-045 Wearplate Assembly		Manufactured	No		110	Each	23.0000	1 HL	1 11 11 14
				Location	Loc Qty		Loc Code		
				FP001	23				
				77737	1				
				84081 85614	4 8				
				86244	10				

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UPI	DATE	·		-
-			• "								QA Closed:	Date:	
Work Ord	۵r۰					DISPOSITION		:		AGAINST DE	PARTMENT	/PROCESS	
Part I						Rework Scrap Use-as-is		ſ	Skid-tube Machining	Crosstube Small Fab	ł .	Water Jet d. Eng. Coor.	Engineering Quality Other
NCR I	No.					Work Order Update			noforming Large Fab	Finishing Composite	Rec/Stor	re/Packaging Supplier	Other
Root					Descri	ption of work order update	1	nitial	Act	tion	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data													
Equip/Tooling													
Operator													
Material													
Setup													
Other													
Process											:		
Supplier													
Training							1						
Unapproved													
						F	AUL	T CATE	GORY				
Landi	ng (	Sear				General				·	-		_
	Ш	Bending			_	Bend		Grain			Ovalized	<u> </u>	Pressure/Forced
		Centre No	t Concer	ntric to (	o/s	BOM/Route		Hardwa	re		Over/Under	tolerance	Temperature/Cure
9		Cracks				Broken/Damaged		Inspecti	on Incomplete		Part Incorre	ct	Weld
Crushed/Crimped.						Burrs		Instruct	ions Incomplete/I	Unclear	Part Lost/Mi	ssing	Wrong Stock Pulled
	Cuffs					Contamination		Mainte	nance		Part Moved		_
	Heat Treat					Countersink		Mislabe	led		Positioned V	Vrong	
		Inspection	Strip in	Tube		Cut Too Short		Misread			Power Loss/	Surge	Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube


Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish



29066 D SEAL WITH SIKAFLEX-241/-291 PRIOR TO INSTALLATION OF **WEARSHOES** D3391-021 FWD TUBE ASSEMBLY SEAL WITH SIKAFLEX-241/-291 PRIOR TO INSTALLATION OF D3391-023 TRANSFER DRILL THRU D3391-025 WEARSHOES MID TUBE ASSEMBLY D3391-021 OPEN TO AFT TUBE ASSEMBLY Ø0.438-0.000 С TRANSFER DRILL THRU D3391-021 OPEN TO Ø0.499 С AND INSTALL D3591-1 BUSHING D4095-051 Ø0.50 7 Ø0.50 🕞 / | WEARSHOE D4095-047 REF 4 PL WEARPAD REF AN3C4A BOLT D4095-043 △ AN960C10L WASHER WEARSHOE / D4095-041 D4095-049 4 PI WEARSHOE WEARPAD AN3C6A BOLT AN3C6A BOLT REF D4095-045 \_ AN960C10L WASHER AN3C4A BOLT - AN960C10L WASHER WEARSHOE 4 PL AN960C10L WASHER AN3C7A BOLT AN960C10L WASHER 4 PL В D3391-043 ASSEMBLY D3391-043 FLOAT SKIDTUBE ASSEMBLY PARTS LIST **GENERAL NOTES** PART NUMBER DESCRIPTION FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 -043 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3 D3391-043 FLOAT SKIDTUBE ASSEMBLY COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER. D3391-021 FWD TUBE ASSEMBLY TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED D3391-023 MID TUBE ASSEMBLY AFT TUBE ASSEMBLY UNITS: INCHES UNLESS OTHERWISE NOTED USE DART DRILL TEMPLATE DT8217 TO LOCATE AND DRILL Ø0.297 SIZE HOLES D3591-1 FOR WEARSHOE INSERTS. C'BORE AS NOTED AND INSTALL INSERTS EXCEPT D4095-041 WEARSHOE WHERE INDICATED. D4095-043 D4095-045 WEARSHOE FIT D4095-041 TO SKIDTUBE WITH D2571 AND D2572 SADDLES INSTALLED WITH APPROPRIATE HARDWARE AND SPACERS IN FORWARD AND AFT HOLES AND WEARSHOE WEARPAD DESIGN D4095-047 DART AEROSPACE USA, INC WEARPAD TRANSFER DRILL Ø0.50 HOLES FROM SADDLE TO D4095-041 DRAWN XDF KENT, WA WEARSHOE FIT D4095-043 TO SKIDTUBE WITH D2571 AND D2572 SADDLES INSTALLED WITH CHECKED DRAWING NO. REV.  $\nabla i Z$ THE APPROPRIATE HARDWARE AND SPACERS IN FORWARD AND AFT HOLES AND AN3C4A BOLT MFG. APPR. D3391 SHEET 2 OF 8 TRANSFER DRILL Ø0.50 HOLES FROM SADDLE TO D4095-043 BOLT AN3C6A APPROVED SCALE AN3C7A AN960C10L WASHE DE APPR. 412 FLOAT SKIDTUBE NTS COPYRIGHT & 2005 BY DART AFROSPACE USA INC DATE 11.10.13

